65" VIEWBOARD INTERACTIVE DISPLAY - OS-FREE | IFP65G1-2

Key **Features**

• OS-FREE SECURITY: No embedded OS, no local storage and no software to patch.


• UPGRADE THE PC, NOT THE PANEL: Slot in a Windows, Chrome or Android module and upgrade anytime.

• MAX ROI: Running OS-free lowers the cost of every panel you buy.


• ROOM-FILLING SOUND: 68W speakers and a subwoofer fill the room without a soundbar.

• DEDICATED MICROPHONE INPUT: A 3.5mm mic input makes the display the room's sound system.






65"
DISPLAY



PANEL



RESOLUTION



Product **Description**

The ViewSonic® IFP65G1-2 is a 65" 4K UHD interactive display built for classrooms and meeting rooms where cyber risk isn't an option. This ViewBoard® display is OS-free, so there's no operating system to patch or license, and nothing stored on the panel for an attacker to reach. Going OS-free usually means waiting on a PC to boot before anyone can write. Not here. ViewSonic Write-Away annotation technology starts the moment the panel powers on, so a teacher can walk up and start teaching. From there, 50-point infrared touch lets several people write on the screen at the same time. A 68W audio system fills the room, and a dedicated mic input amplifies a teacher's wireless microphone, ensuring lessons are heard and students stay engaged.

Specifications


More Information

UPC	766907045635
CPU	ARM Cortex-A73 x 2 + A53 x 2@ up to 2.0GHz
GPU	ARM Mali-G52 MC1
Internal Speakers	Avg. = 20 W x 2, Max. = 24 W x 2
Subwoofer	Avg. = 20 W x 1, Max. = 25 W x 1
HDMI 2.0 In	2
HDMI Out	1
3.5mm Audio In	1
SPDIF	1
USB Type A	3 (USB3.0 x2, USB2.0 x1)
USB 2.0 Type B	1
USB Type C	2
RS232	1
Ethernet LAN (RJ45)	1
Voltage	AC 100–240V (universal), +/-10% Wide Range
Stand-by	<0.5W
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-80%
Net (lbs)	80.91
Gross (lbs)	96.34
Net (kg)	36.7
Gross (kg)	43.7
Packaging (in.)	64.57x39.76x7.28
Physical (in.)	58.42x35.09x3.44
Packaging (mm)	1640x1010x185
Physical (mm)	1483.9x891.2x87.4
VESA Compatible	600 x 400 mm
Warranty	3-year limited warranty
Package Contents	IFP65G1-2 display, 3m power cable, HDMI 2.0 cable 3m x1, Remote control w/ battery, 3m USB 2.0 touch cable x1, USB-C cable 1.8m x1, Touch pen (Passive pen) x2 (VB-PEN-101), Quick Start Guide + Compliance statement, RS232 adapter, Screw (for wall mount 4)
Display Type	TFT LCD module
Screen Size	65"
Viewable Area (in.)	1428.48(H) x 803.52(V) (64.5")
Orientation	Landscape
Colors	1.07B
Color Space Support	8bits, FRC

Light Source	DLED
Display Resolution	3840 x 2160
Aspect Ratio	16:9
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	5,000:1
Backlight Life (Hours)	50,000
Brightness	400 cd/m2
Response Time (Typical GTG)	8ms
Bezel Width (mm)	Left = 14.8 mm (0.58 in), Right = 14.8 mm (0.58 in), Top = 14.8 mm (0.58 in), Bottom = 48.7 mm (1.92 in)
Viewing Angles	178º horizontal, 178º vertical
Panel Surface	Anti-glare 9H tempered glass

UPC: 766907045635







Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com